




# **CONTENTS**

09	Anesthesia Circuit
18	Oropharyngeal Airway
20	Face Mask
27	Heat and Moisture exchange filter (HMEF) & Filter
36	Breathing Bag
38	Accessories (Tubing, Connectors, Valves

and Other Supporting Items)

Symbols and Cleaning Instructions

Product Index



# GaleMed

Anesthesia Circuit can be best described as the lifeline between the patient and the anesthesia workstation. It consists of a combination of interfaces that enable the delivery of anesthetic gases to patients in a consistent and highly regulated manner. Hence, we offer a variety of devices to equip you with tools to deliver the best results.

GaleMed offers a comprehensive line of products and technologies for anesthesia. The improved design makes it convenient to use while maintaining the superior quality that healthcare professionals rely on.

# Your Best Choice for Anesthesia Circuit

















# Anesthesia Circuit

Anesthesia Breathing Circuit & Accessories	06
Durable Anesthesia Circuit	10
ECO Anesthesia Circuit	11
Standard Anesthesia Circuit	12
Swivel Anesthesia Circuit	13
Theta Anesthesia Circuit	14
Bain Circuit	15
Coaxial Anesthesia Circuit	16
Jackson Rees Anesthesia Circuit	17
Guedel Airway Management Kit	19
Berman Airway Management Kit	19
Air-soft™ Aircushion Mask	21
Sil-Flex™ Silicone Mask / nMask	22
Endo Mask	23
Headgear	24-2
Heat and Moisture Exchanger (HME)	30
Heat and Moisture Exchanger Filter (HMEF)	31
Heat and Moisture Exchanger Filter (Filter)	32-3
Tracheal Heat and Moisture Exchanger (tHME)	34-3
Breathing Bag (Silicon/Latex-Free/Latex)	37
Tail-End Control Valve	39
ADU Connector	39
Washington T-Piece	39
Circuit Hanger & Fixture	40
Pole, Rail and Table Clamps	40
ISO Wall Mount Cradle	41
Gas Sampling Line / Hose Clip	41

# Anesthesia Breathing Circuits & **Accessories**

# **Airway Management**

Airway management is an important first step in the domain of mechanical ventilation and anesthesia. It directly impacts on the safety of patients. We offer a range of Berman and Guedel airways that are safe, effective and able to provide greater flexibility to healthcare professionals.



# **Anesthesia Circuits**

Our anesthesia circuits are available in durable and disposable models. We also provide fixed or adjustable lengths for the disposable models for more flexibility. To provide a combination that best suits your needs, a wide selection of circuits and accessories are also available.



# Face Masks

Face mask is another important aspect in respiratory care. We also designed face masks a step further by incorporating a port onto the mask that allows the insertion of measuring tubes, nasogastric tubes or endoscopy tubes.



# **Heat and Moisture Exchange Filters** (HMEF) & Filters

Respiratory humidification and crossinfection prevention are crucial in mechanical ventilation and anesthesia. We deliver a wide range of HMEF and Filters to provide humidification to the inhaled air for enhanced patient comfort, while minimizing the risk of cross-infection.

# **Breathing Bags**

In addition to the standard latex options in the market, we also supply non-latex and silicone breathing bags to mitigate the risk of allergic reactions in patients. The bags come in volumes ranging from 0.5 liter to 3 liter.

# **Manual Resuscitators**

We provide both durable and disposable manual resuscitators. The resuscitator bag volumes are specifically designed to suit neonate, infant, pediatric and adult patients.

For more information on the product, please have a look at the catalog of Airway Management.







# ▼ Tubing, Connectors, Valves and Other Supporting Items


We have an extensive range of accessories, components and connectors to provide clinicians or healthcare professionals with the option to customize a setup to meet patient's needs. Pressure valves, monitoring devices, tubing or device holders are also available to provide support for clinical operation.



Closed Anesthesia Breathing Systems generally consist of the following parts: a fresh gas supply and inspiratory limb, a patient interface, an expiratory conduit, a breathing bag, an adjustable pressure limiting (APL) valve and a  $CO_2$  filter. A closed system interface enables the complete re-breathing of exhaled air at a lower gas flow rate.

# ▲ Types of Closed Anesthesia Breathing Systems Available:


- ECO Anesthesia Circuit
- EVA Circuit



Semi-Open Anesthesia Breathing Systems generally consist of the parts shown in the illustration above. Our semi-open systems are convenient, lightweight and easily scavenged. It has minimal dead space, low airflow resistance and reduces the work of breathing.

# ▲ Types of Semi-Open Anesthesia Breathing Systems Available:

- Theta, Bain and Coaxial Circuit
- Jackson Rees Anesthesia Circuit



# Anesthesia Circuit


. . .

# Durable Anesthesia Circuit 🛶 🖦










- Tubing cuffs designed for firm and sturdy connect.
- Smoothbore tube for clean with minimal air turbulence
- Kink structure to ensure safety and smooth airflow.
- All parts autoclavable at 134°C.
- Biocompatible & ISO conformance.







REF	Application	Elbow	Wye	Inhale	Exhale	QTY
AB0040	Adult	22/15 with Luer	22/15, 22M	120 cm, 22F	120 cm, 22F	10 pcs/carton
AB0041	Child	22/15 with Luer	22/15, 15M	120 cm, 15F	120 cm, 15F	10 pcs/carton

#### **Dimensions:**

- Breathing circuit: conform to ISO 5367
- Patient port: 22/15 mm conform to ISO 5356-1
- Gas Sampling Port: Luer, conform to ISO 594-1

# **Optional Accessories:**


- Anesthesia Masks and Endoscopy Masks HMEF
- Gas Sampling Line
- Silicone Breathing Bag: 3L, 2L, 1L, 0.5L

# ECO Anesthesia Circuit ②



- · Collapsible & Lightweight.
- Elbow with built-in 4.3 luer port for gas sampling.
- Single Patient Use, conform to ISO-10993-1.
- Biocompatible & ISO conformance.






REF	Application	Elbow	Wye	Inhale	Exhale	QTY
AB0231	Adult	22/15 with Luer	22/15, 22M	42-150 cm, 22F		50 pcs/carton
AB0043	Child	22/15 with Luer	22/15, 15M	42-150 cm, 15F		50 pcs/carton

#### **Dimensions:**

- Breathing circuit: conform to ISO 5367
- Patient port: 22/15 mm conform to ISO 5356-1
- Gas sampling port: Luer, conform to ISO 594-1


- Anesthesia Masks and Endoscopy Masks
- HMEF and Filters
- Gas Sampling Line
- Latex Breathing Bag: 3L, 2L, 1L, 0.5L
- Latex-Free Breathing Bag: 3L, 2L, 1L, 0.5L





- Elbow with built-in 4.3 luer port for gas sampling.
- Single Patient Use, conform to ISO-10993-1.
- Biocompatible & ISO conformance.







REF	Application	Elbow	Wye	Inhale	Exhale	QTY
AB0042	Adult	22/15 with Luer	22/15, 22M	120 cm, 22F	120 cm, 22F	30 pcs/carton
AB0289	Child	22/15 with Luer	22/15, 22M	150 cm, 15F	150 cm, 15F	15 pcs/carton

#### Dimensions:

- Breathing circuit: conform to ISO 5367
- Patient port: 22/15 mm conform to ISO 5356-1
- Gas sampling port: Luer, conform to ISO 594-1

## **Optional Accessories:**


- Anesthesia Masks and Endoscopy Masks
- HMEF and Filters
- Gas Sampling Line
- Latex Breathing Bag: 3L, 2L, 1L, 0.5L
- Latex-Free Breathing Bag: 3L, 2L, 1L, 0.5L

# Swivel Anesthesia Circuit (2)



- A lighter and more economical option.
- Swivel wye with built-in 4.3 luer port for gas sampling.
- Single Patient Use, conform to ISO-10993-1.
- Biocompatible & ISO conformance.







REF	Application	Swivel Wye	Inhale	Exhale	QTY
AB0185	Adult	22/15 with Luer	180 cm, 22F	180 cm, 22F	15 pcs/carton

#### **Dimensions:**


- Breathing circuit: conform to ISO 5367
- Patient port: 22/15 mm conform to ISO 5356-1
- Gas sampling port: Luer, conform to ISO 594-1

- Anesthesia Masks and Endoscopy Masks
- HMEF and Filters
- Gas Sampling Line
- Latex Breathing Bag: 3L, 2L, 1L, 0.5L
- Latex-Free Breathing Bag: 3L, 2L, 1L, 0.5L



- . Inspiratory and expiratory flow within a single tube, separated by a divider.
- A lighter and more economical option.
- Elbow with built-in 4.3 luer port for gas sampling.
- Collapsible exhale limb for more flexibility.
- Single Patient Use, conform to ISO-10993-1.
- Biocompatible & ISO conformance.





REF	Application	Elbow	Patient	Main Tube	Exhale	QTY
AB0057	Adult	22/15	22/15	180 cm, 22F	12-30 cm (Expandable)	20 pcs/carton
AB0260	Adult	22/15	22/15	150 cm, 22F	12-30 cm (Expandable)	20 pcs/carton

### **Dimensions:**


- Breathing circuit: conform to ISO 5367
- Patient port: 22/15 mm conform to ISO 5356-1
- Gas sampling port: Luer, conform to ISO 594-1

### **Optional Accessories:**

- Anesthesia Masks and Endoscopy Masks
- HMEF and Filters
- Gas Sampling Line
- Latex Breathing Bag: 3L, 2L, 1L, 0.5L
- Latex-Free Breathing Bag: 3L, 2L, 1L, 0.5L

- · All-in-One Bain circuit with coaxial tube design. Smoothbore inspiratory limb within the expiratory limb.
- · A lighter and more economical option.
- Elbow with built-in 4.3 luer port for gas sampling.
- · Collapsible exhale limb for more flexibility.
- Single Patient Use, conform to ISO-10993-1.
- · Biocompatible & ISO conformance.





			- 7			
REF	Application	Elbow	Patient	Main Tube	Exhale	QTY
AB0229	Adult	22/15	22/15	120 cm, 22F	12-30 cm (Expandable)	20 pcs/carton
AB0230	Adult	22/15	22/15	180 cm, 22F	12-30 cm (Expandable)	20 pcs/carton

### **Dimensions:**


- Breathing circuit: conform to ISO 5367
- Patient port: 22/15 mm conform to ISO 5356-1
- Gas sampling port: Luer, conform to ISO 594-1

- Anesthesia Masks and Endoscopy Masks
- HMEF and Filters
- Gas Sampling Line
- Latex Breathing Bag: 3L, 2L, 1L, 0.5L
- Latex-Free Breathing Bag: 3L, 2L, 1L, 0.5L



- Coaxial Design corrugated inspiratory limb within the expiratory limb.
- A lighter and more economical option.
- Elbow with built-in 4.3 luer port for gas sampling.
- Collapsible Exhale limb for more flexibility.
- Single Patient Use, conform to ISO-10993-1.
- Biocompatible & ISO conformance.





REF	Application	Elbow	Patient	Main Tube	Exhale	QTY
AB0178	Adult	22/15	22/15	100 cm, 22F	17-40 cm (Expandable)	15 pcs/carton
AB0179	Adult	22/15	22/15	150 cm, 22F	17-40 cm (Expandable)	15 pcs/carton
AB0299	Adult	22/15	22/15	180 cm, 22F	17-40 cm (Expandable)	15 pcs/carton

- Breathing circuit: conform to ISO 5367
- Patient port: 22/15 mm conform to ISO 5356-1
- Gas sampling port: Luer, conform to ISO 594-1

## **Optional Accessories:**


- Anesthesia Masks and Endoscopy Masks
- HMEF and Filters
- Gas Sampling Line
- Latex Breathing Bag: 3L, 2L, 1L, 0.5L
- Latex-Free Breathing Bag: 3L, 2L, 1L, 0.5L

# Jackson Rees Anesthesia Circuit (2)



- Tail-end control valve allows the adjustment of pressure levels within the system.
- Enable exhaled air to be collected and directed to a scavenging system.
- Lightweight and Disposable.
- Single Patient Use, conform to ISO-10993-1.
- Biocompatible & ISO conformance.





REF	Application	Patient	Flex tube	Supply tube	Exhale tube	Breathing Bag	QTY
AB0158	Adult					0.5 L Latex Breathing Bag	15 pcs/carton
AB0166	Adult					1.0 L Latex Breathing Bag	15 pcs/carton
AB0169	Adult	_				2.0 L Latex Breathing Bag	15 pcs/carton
AB0175	Adult		22/15 25 cm, 22F	200 cm, 5F,	150 cm, 13F	3.0 L Latex Breathing Bag	15 pcs/carton
AB0023	Adult		Corrugated	15M Cuff	22/19 mm Cuff	0.5 L Latex-free Breathing Bag	15 pcs/carton
AB0167	Adult					1.0 L Latex-free Breathing Bag	15 pcs/carton
AB0176	Adult	_				2.0 L Latex-free Breathing Bag	15 pcs/carton

#### Dimensions:

- Patient port: 22/15 mm conform to ISO 5356-1
- Gas supply port: 15 mm OD, conform to ISO 5356-1

- Anesthesia masks
- Latex Breathing Bag: 3L, 2L, 1L, 0.5L
- Latex-Free Breathing Bag: 3L, 2L, 1L, 0.5L





Oropharyngeal Airway

# Guedel Airway Management Kit ②



- To maintain or open a patient's airway.
- Designed with reinforced bite block with large flange that has a gentle curve to follow the contour of the tongue.

AW0001	Guedel Airway 40 mm, Pink
AW0046	Guedel Airway 50 mm, Blue
AW0047	Guedel Airway 60 mm, Black
AW0048	Guedel Airway 70 mm, White
AW0005	Guedel Airway 80 mm, Green
AW0006	Guedel Airway 90 mm, Yellow
AW0049	Guedel Airway 100 mm, Red
AW0002	Guedel Airway 110 mm, Orange
AW0003	Guedel Airway 120 mm, Purple

Package: 200 pcs/carton





- Anatomical shape designed to follow the curvature of the tongue and oropharyngeal airway.
- Dual-side channel with holes minimize the risk of airway occlusion.
- Suction tube can be placed along the side channel of the Berman airway for insertion.

AW0074	Bermen Airway 40 mm
AW0050	Bermen Airway 50 mm
AW0051	Bermen Airway 60 mm
AW0052	Bermen Airway 70 mm
AW0053	Bermen Airway 80 mm
AW0007	Bermen Airway 90 mm
AW0054	Bermen Airway 100 mm

Package: 200 pcs/carton







Face Mask

# Air-soft<sup>TM</sup> Aircushion Mask ②





REF	Color	Description	QTY	
AM0026	0	Airsoft Mask, #0 w/Valve	50 pcs/carton	
AM0027	•	Airsoft Mask, #1 w/Valve	50 pcs/carton	
AM0028	•	Airsoft Mask, #2 w/Valve	50 pcs/carton	
AM0029	•	Airsoft Mask, #3 w/Valve	50 pcs/carton	
AM0030	•	Airsoft Mask, #4 w/Valve	50 pcs/carton	
AM0031	•	Airsoft Mask, #5 w/Valve	50 pcs/carton	
AM0032	•	Airsoft Mask, #6 w/Valve	20 pcs/carton	
AM0025	0	Airsoft Mask, #0	50 pcs/carton	
AM0092	•	Airsoft Mask, #1	50 pcs/carton	
AM0093	•	Airsoft Mask, #2	50 pcs/carton	
AM0094	•	Airsoft Mask, #3	50 pcs/carton	
AM0095	•	Airsoft Mask, #4	50 pcs/carton	
AM0096	•	Airsoft Mask, #5	50 pcs/carton	

color-coded allowing for size identification.

# Sil-Flex<sup>TM</sup> Silicone Mask @





- Bio-compatible and latex free ergonomic design with soft silicone material provides better seal, comfort and air circulation.
- · Can be reprocessed for multiple use.

AM0086	Sil-Flex Silicone Mask #5, Adult Large
AM0024	Sil-Flex Silicone Mask #4, Adult
AM0023	Sil-Flex Silicone Mask #3, Child Large
AM0016	Sil-Flex Silicone Mask #2, Child
AM0005	Sil-Flex Silicone Mask #1, Infant Large
AM0004	Sil-Flex Silicone Mask #0. Infant

Package: 50 pcs/carton

# nMask



#### 15mm Connector

With two level barb designed for easier attachment

#### Sturdy and Flexible Shell

Soft but steady silicone shell prevents from deformation

#### **Cushioned Rim**

Allow full cover around the mouth and nose, especially designed for premature


Babi.Plus® nMask is designed for use with resuscitators and T-piece resuscitation devices. With ergonomic construction, Babi.Plus® nMask seals around the mouth and nose but does not cover the eyes or overlap the chin. The Babi.Plus® nMask is designed to reduce air leakage and skin irritation. 6 sizes of nMasks are available for premature and neonatal patients.

AN0038 nMask, 25 mm AN0039 nMask, 30 mm AN0040 nMask, 35 mm AN0041 nMask, 40 mm AN0042 nMask, 45 mm AN0043 nMask, 50 mm

Package: 5 pcs/box



# **Endo Mask**






A revolutionary design that enables simultaneous application of endoscopy during anesthesia or mechanical ventilation, the Aplus Endo Mask is specifically designed with a flexible port positioned in an ideal part of the mask to allow easier insertion of nasal or oral endoscope.

AW0065 Endo Mask (Medium) with Head Strap AW0009 Endo Mask (Large) with Head Strap

Package: 20 pcs/carton








- Lightweight and ergonomic full face for ePAP.
- Single layer cushion to minimize air leaks and distributes surface area pressure for greater comfort.
- Pressure spring valve setting of 7.5, 10 and 12.5 cmH2O to
- Anti-asphyxia valve and swivel adaptor for improved safety and
- Ports for CO2 or pressure monitoring.

AM0014 Headgear for CPAP Mask, L, Silicone AM0015 Headgear for CPAP Mask, S, Silicone AM0037 Headgear for Mask, S, Silicone

Package: 1 pc/package, 50 pcs/box.








# Headgear




- Designed for CPAP mask,animal mask and anesthesia mask to ensure themask stays firmly in place.
- Made of latex-free material (rubber) for less skin irritation.Material meets ISO-10993 bio-compatibility requirement.

AM0105 Headgear for mask, L, Rubber AM0106 Headgear, S, Rubber

Package: 1 pc/package, 50 pcs/box








- Designed to firmly secure the Nasal CPAP mask in place. Lightweight and provides patient with better comfort.
- Latex-free nylon material for less skin irritation.
- Meets ISO-10993 biocompatibility requirement.
- Economical for single-patient use to minimize the risk of cross contamination.

AM0112 HC-1 Soft fabric Headgear-Large White
AM0113 HC-1 Soft fabric Headgear-Small White
AM0132 HN-7 Neoprene Headgear Black

Package: 1 pc/package, 50 pcs/box.



73cm



Heat and Moisture exchange filter (HMEF) & Filter


# FILTER RANGES

BV Filter & HMEF

	REF	Filter Media	Port	Weight (g)	Dead Space (ml)	"Resistance (cmH₂O@LPM)"	Moisture output (mg/L)	BFE MPS: 2.9µm@30LPM	VFE MPS: 2.9µm@30LPM
	AH0022	Paper media	•	2.5	33	0.2@5	31	-	-
Heated and moisture exchanger (HME)	AH0039	Foam media	-	18	54.5	2.0@60	>30	-	-
	AH0040	Foam media	-	-	33	-	31	-	-
	AH0025	Paper Media	-	25	<50.1	1.53@30	>30	>99.99%	99.97%
HMEF	AH0026	Paper Media	Luer	25	<50.1	1.53@30	>30	>99.99%	99.97%
	AH0041	Electrostatic/ Foam	Luer	29	<35.00	2.30@60	31.6	>99.99%	>99.99%
	AF0001	Electrostatic	-	22	<32.93	0.94@40	-	>99.99%	>99.99%
	AF0002	Paper Media	Luer	38	<34.80	4.37@60	E	>99.9999%	>99.9999%
	AF0003		(S)		<0.5	78@0.6	-	-	-
	AF0005	Electrostatic	Luer	17	<39.94	1.02@30	-	>99.99%	>99.99%
	AF0006	Electrostatic	Luer	-	-	-	-	-	-
	AF0007	Electrostatic		17	<37.68	0.86@30	-	>99.99%	>99.99%
Tilka-	AF0008	Electrostatic	5. <b>-</b> 2		<48.5	0.71@30	-	>99.99%	>99.99%
Filter	AF0009	Electrostatic	-	•	<32.8	0.66@30	-	>99.99%	>99.99%
	AF0011	Electrostatic	<u></u>	2	<99.37	0.77@40	-	>99.99%	>99.99%
	AF0012	25		•	<71	1.8@50	-	>99.99%	>99.99%
	AF0013	-	-	-	-	-	-	-	-
	AF0016	Electrostatic	-	-	<86.1	2.4@60	-	>99.99%	>99.99%
	AF0019			-	-	120	IX.	<del>-</del>	-
	AF0020	Electrostatic	Luer	23	<33.43	1.19@40	-	>99.99%	>99.99%

# Heat and Moisture Exchanger (HME) (2)

Heat and Moisture Exchanger (HME) utilizes the patients' own temperature and hydration to achieve humidification in successive breaths. Heat and moisture recovered from the exhaled air are conserved in the HME and then used again in the inspiratory process. *Humi.AIDE*<sup>™</sup> HMEs are positioned like an artificial nose between the patient interface and breathing circuit.



# 22 F/15 M 22/15 mm

#### HME

Humi.AIDE™ HME is suitable for surgical ward, anesthesia, respiratory care, and intubated home-care patients.

- Use standard 22/15 mm connection.
- Moisture Output: around 31 mg/L H<sub>2</sub>O.
- · Dead Space: 33 ml.

AH0040 HME, 22F/15M, 22/15 mm

Package: 50 pcs/carton



#### **HME** with Flex Tube

Humi.AIDE™ HME with Tube is suitable for surgical ward, anesthesia, respiratory care, and intubated home-care patients.

- Extensive Flex Tube: Enable the flexibility in patient position management and reduce the chance of accidental disconnection.
- Use standard 22F. 15F connections.
- Moisture Output: around 30~35 mg/L H<sub>2</sub>O.
- Dead Space: 54.5 ml.

AH0039 HME w/Tube, 22F, 15F

Package: 100 pcs/carton

# Neonatal (nHME)

Humi.AIDE™ HME is suitable for surgical ward, anesthesia, respiratory care, and intubated home-care patients.

- Use standard 22/15 mm connection.
- Moisture Output: around 31 mg/L H<sub>2</sub>O.
- Dead Space: 33 ml.

AH0022 nHME, 15F, 15M

Package: 100 pcs/carton

# Heat and Moisture Exchanger Filter (HMEF) ②




Humi.AIDE™ HMEF is a 2-in-1 device that offers passive humidification of respiratory air and electrostatic filtration of bacteria and viruses to minimize infection between the patient and other healthcare practitioners. It is designed to work on patients with mechanical ventilation under critical care or anesthesia, to ensure minimal loss of heat and moisture from respiratory air.

22 F/15 M

22/15 mm

22/15 mm

22/15 mm



# Foam Type HMEF

Humi.AIDE™ HMEF w/Luer is suitable for surgical ward, anesthesia, respiratory care, and intubated home-care patients.

- Use standard 22/15 mm connection.
- Moisture output: around 31 mg/L H<sub>2</sub>O.
- Dead Space: 33 ml.
- Filtration: Provide up to 99.99% of efficiency.
- · Luer Port: For pressure monitoring and gas sampling.

AH0041 HMEF w/Luer, 22F/15M, 22/15 mm

Package: 50 pcs/carton

# 22/15 mm

22/15 mm

# Humi.AIDE<sup>™</sup> Paper Type HMEF (pHMEF)

Humi.AIDE™ Paper HMEF (pHMEF) is designed to be used in conjunction with ventilation circuits under critical care or anesthesia.

- Paper Media Ensure efficient retention of heat and moisture and filtration of bacteria and viruses.
- Use standard 22/15 mm connections.
- Dead Space: 50.1 ml.
- Bacterial/ Viral filtration: Provide up to 99,99% /99,97% of efficiency respectively.
- Optional 4.3F Luer Port: For pressure monitoring and gas

AH0025 HMEF, 22F/15M, 22/15 mm

AH0026 HMEF w/Luer, 22F/15M, 22/15 mm

Package: 50 pcs/carton

22F/15M

22/15 mm

22/15 mm

# **Bacterial Filter (Foam filtering medium)**

- Equipped with 0.3 micron bacterial filter membrane for up to 99.99% of efficiency.
- Pressure resistance: less than 1cmH<sub>2</sub>O/ 50LPM.
- Standard 22 mmID/15 mmOD and 22/15 mm connectors meet ISO Standard.
- · Material: polypropylene.

AF0001 Filter, 22F/15M, 22M/15F AF0020 Filter, 22F/15M, 22M/15Fw/Luer

Package: 150 pcs/box

# **HEPA Radial Pleated Filter (Paper filtering** medium)

- Long term anesthesia/ventilation bacterial filtration up to 99.9999%
- Standard 22 mmID/15 mmOD connectors meet ISO Standard.

AF0002 Filter, HEPA w/luer, 22F/15M, 22/15 mm

Package: 150 pcs/box

#### **Pressure Line Filter**

- . Hydrophobic filter provides high efficiency to block water that may damage pressure sensor.
- Standard luer connections(male and female).
- · Color code for directions.

AF0003 Hydrophobic Filter, 7.6M w/Luer AF0013 Hydrophobic Filter, 4F, 4M

Package: 50 pcs/box

# Heat and Moisture Exchanger Filter (Filter) ②





## Viral / Bacterial Filter

High efficiency bacterial filter to minimize cross-contamination between patients, equipment and other healthcare practitioners.

REF	Description	Resistance to flow at 30L/min (cmH <sub>2</sub> O)	Compressible Volume (ml)	Bacterial Filtration Efficiency	Viral Filtration Efficiency	Luer	QTY
AF0005	Filter 22F/15M w/Luer	0.950	39.93	99.999%	99.99%	•	50 pcs/carton
AF0007	Filter, 22F/15M, 22/15mm	0.825	37.68	99.999%	99.99%	N/A	50 pcs/carton
AF0008	Filter, 30F, 22/15mm	0.625	48.58	99.999%	99.99%	N/A	50 pcs/carton
AF0009	Filter, 30F, 30M	0.535	46.29	99.999%	99.99%	N/A	50 pcs/carton

# 30 M 22/15 mm 30 F 22F 30M AF0011 AF0016 AF0012

#### **Electrostatic Bacterial Filter**

Filter with large volume can produce lower resistance and increase the coordination between the ventilator and the patient. It is suitable to be connected to the outlet of positive pressure ventilation equipment to prevent the transmission of bacteria and cross-contamination among patients.

- Bacterial Filtration Efficiency: 99.99%.
- Viral Filtration Efficiency: 99.99%.

REF	Description	Resistance (cmH <sub>2</sub> O@LPM)	Compressible Volume(ml)	Bacterial Filtration Efficiency	Viral Filtration Efficiency	Luer	QTY
AF0011	Filter, 30F, 30M	0.77@40	<99.37	99.99%	99.99%	N/A	150 pcs/carton
AF0012	Exhalometer filter, 30F, 30M	1.8@50	<71	99.99%	99.99%	N/A	50 pcs/carton
AF0016	Filter, 22F, 22/15mm	2.4@60	<86.1	99.99%	99.99%	N/A	150 pcs/carton

AF0013

# Tracheal Heat and Moisture Exchanger (tHME)

The Humi.AIDE™ Tracheal Heat and Moisture Exchanger (tHME) provides passive humidification for spontaneously breathing tracheostomy patients. The tHME is designed with a standard 15mm fitting for attachment to the patient's tracheotomy tube. The tHME has a compact and lightweight design that reduces pressure at the sensitive trachea site and helps provide optimum patient ventilation.



# **Light Paper Media**

Original paper media provides efficient heat and moisture exchange to patient.



# Optional Adjustable Breathing Resistance (ABR) Valve

An optional Adjustable Breathing Resistance (ABR) Valve helps to reduce patient work of breathing and provides users greater comfort and flexibility.







# **Optional Oxygen Tubing**

Designed with oxygen tubing connection for supplemental oxygen.




# Tracheal Heat and Moisture Exchanger (tHME)


Standard	Oxygen Tube	ABR Valve
		B Lentifully

REF	AH0023	AH0071	AH0024
Description	tHME, 15F	tHME w/Tubing	tHME, 15F w/Knob
Feature	Standard HME, ready for use design	Equipped with total length of 170 cm oxygen tubing	Designed Adjustable Breathing Resistance (ABR) Valve
Dead Space	11.7 ml	12.0 ml	11.7 ml
Tidal Volume	> 50 ml	> 50 ml	> 50 ml
Connectors	15F	15F	15F
Resistance	0.48 cmH <sub>2</sub> O @ 60 LPM	0.48 cmH <sub>2</sub> O @ 60 LPM	0.48 cmH <sub>2</sub> O @ 60 LPM
Moisture Output	24.0 mg H <sub>2</sub> O @ VT = 500 ml	24.0 mg H₂O @ VT = 500 ml	24.0 mg H <sub>2</sub> O @ VT = 500 ml
QTY	50 pcs/carton	50 pcs/carton	50 pcs/carton

#### Inspired Oxygen Concentration vs Flow Rate



TEST Conditions: Tidal volume 0.6L, 12 breath/min






Breathing Bag

# Silicone Breathing Bag 🚯






- Tail-end hook for hanging to air-dry.
- Standard 22F connector.


AB0109	Silicone Breathing Bag 3L
AB0010	Silicone Breathing Bag 2L
AB0108	Silicone Breathing Bag 1L
AB0107	Silicone Breathing Bag 0.5l

Package: 50 pcs/carton

# Latex-Free Breathing Bag ②







• Lower resistance and standard 22F connector with more rigid cuff.



AB0122 Latex-Free Breathing Bag 3L AB0121 Latex-Free Breathing Bag 2L AB0120 Latex-Free Breathing Bag 1L AB0119 Latex-Free Breathing Bag 0.5L

Package: 50 pcs/carton

# Latex Breathing Bag ②





- · Single patient use breathing bag.
- Lower resistance and standard 22F connector with more rigid cuff.

AB0106 Latex Breathing Bag 3L AB0105 Latex Breathing Bag 2L AB0104 Latex Breathing Bag 1L AB0103 Latex Breathing Bag 0.5L

Package: 50 pcs/carton







Accessories

# **Tail-End Control Valve**



Designed to adjust or release air or gas for breathing bag in Jackson Rees circuit or hyperinflation system.

AB0123 Durable Tail-End Control Valves

Package: 50 pkgs/box, 12 box/carton

# **ADU Connector**



A disposable Tee-Piece can be used with anesthesia circuits or other ventilation equipment. It has 6M angled port for gas supply or pressure monitoring. ADU connector is specifically designed for GE anesthesia machines.

Note: ADU is designed for GE anesthesia machine only. (ADU-Anesthesia delivery unit)

AB0003 Disposable ADU Connector

Package: 100 pcs/pkg, 10 pckgs/ctn

# **Washington T-Piece**



A disposable Washing T-Piece can be used with anesthesia circuits or other ventilation equipment. It has 6M angled port for gas supply or pressure monitoring. Washington T-Piece only fits for Jackson Rees circuit.

Note: Washington T is design for Jackson Rees circuit use.

AC0037 Washington T-Piece

Package: 100 pcs/pkg, 5 pkgs/ctn





# Pole, Rail and Table Clamps









- · Keep essential life-supporting device readily available and
- Ergonomically engineered tri-edge turning knob for less required force to turn.
- Ultra lightweight and sturdy design with one or two holder slip for different device.
- Multi-point contact for better stabilization and grip.
- ISO compliant holder fits any device complying to the same standard.

ERGO<sup>™</sup> Single Pole Clamp AB0222 AB0223 ERGO<sup>™</sup> Dual Pole Clamp AB0224 ERGO<sup>™</sup> Table Clamp AB0225 ERGO<sup>™</sup> Rail Clamp

Package: 10 sets/case

# ISO Wall Mount Cradle





- Keep essential life-supporting device readily available and
- . ISO compliant holder fits any device.

AB0226 ISO Wall Mount Cradle

Package: 60 boxes/carton

# **Tube Clips**






AB0030



Clips to hold breathing circuit and additional tubing in place for better organization and safety.

AB0008 TC-1 Hose Clip, 15F w/3 clips AB0009 TC-2 Hose Clip, 22F w/5 clips AB0029 TC-4 Hose Clip, 22F w/2 clips AB0030 TC-2 Hose Clip, 22F w/5 clips





# **Gas Sampling Line**



Different types of tubes for delivering or monitoring airflow or CO2.

Gas Sampling Line, 300 cm, 4.3M Leur, 4.3M Leur Gas Sampling Line, 300 cm, 4.3F Leur, 4.3M Leur Gas Sampling Line, 50 cm, 4.3M Leur, 4.3M Leur Gas Sampling Line, 300 cm, 4.3F Leur, 4.3F Leur AB0064 Gas Sampling Line, 180 cm, 4M, 4M

Package: 50 pcs/carton

Product Index

Accessories

# Types of Breathing Cirucit Tubing



#### **Tube Design**



#### Smoothbore Tubing

- Reduces air turbulence.
- Low water retention and improved drainage.

## Corrugated Tubing

- Provides an economical solution for ventilation circuits.
- Material: EVA. Lightweight.



### Collapsible Tubing

- Economical solution with lighter weight. Superior flexibility with adjustable length to suit different needs.
- Reduces transport cost and required storage space.

#### Materials and Cleaning Instructions

Users or operators should fully understand the functions of each products and the following symbols before use:





LOT Number







Date









STERILE EO Sterilized by

Product.

Do not reuse



Common Materials and Sterilization Method

Material	Autoclavable	Chemical and Pasteurization	Ethylene Oxide Sterilization
PVC	No	No	No
Acrylic	No	No	No
K-Resin	No	No	No
ABS	No	No	Yes
Polyethylene(PE)	No	Yes	No
Polypropylene(PP)	No	Yes	No
Hytrel	Up to 121°C	Mild Only	Yes
Polycarbonate(PC)	Up to 121°C	No	Yes
Polysulfone(PSF)	Up to 134°C	Yes	Yes
Silicone Rubber	Up to 134°C	Yes	Yes

PSF and Silicone Rubber are autoclavable up to 134°C (at least 50 cycles). Hytrel and Polycarbonate are autoclavable up to 121°C (at least 20 cycles).

Disposable and Single-patient use products are designed to reduce the risk of cross-infection and therefore have strict prohibitions on re-processing and reusing on multiple patients.

When reusing durable products, please exercise strict adherence to validated institution policy and procedure, as well as the information available on disinfection or sterilization processes. Clean or disinfect

- 1. Any product part has been used
- 2. Any product part is contaminated
- 3. Any product part has been in use for more than 24 hours on a single-patient

#### Manufacturer's suggested procedure for disinfection:

The following instruction is a general guide. Please refer to individual organization's operating instructions on cleaning and disinfecting products:

- a. High Temperature Pressure Disinfection:
- Products should be disinfected at 134°C for 5 minutes (eg. for materials such as polysulfone and silicone). For hyrel and polycarbonate products, the temperature should not exceed 121°C and should not be processed for longer than 15 minutes.
- b. Chemical Disinfection:

Products should be soaked under warm water with mild detergents. Wash and rinse thoroughly to remove any residual material and store in a cool dry place to allow it to air dryer.

c. Ethylene Oxide Disinfection:

Follow the instruction for use for Ethylene Oxide disinfection devices.

REF	Old REF	Page
AB0003	6727	39
AB0005	30002	41
AB0008	70061	41
AB0009	70062	41
AB0010	70098	37
AB0011	6015-N01	40
AB0023	6418	17
AB0029	70064	41
AB0030	70065	41
AB0040	6733	10
AB0041	6737	10
AB0042	AVF0001	12
AB0043	AP11	11
AB0057	AT18	14
AB0060	30001	41
AB0061	30005	41
AB0062	30009	41
AB0064	30016	41
AB0103	70089	37
AB0104	70090	37
AB0105	70091	37
AB0106	70092	37
AB0107	70096	37
AB0108	70097	37
AB0109	70099	37
AB0119	70137	37
AB0120	70138	37
AB0121	70139	37
AB0122	70140	37
AB0123	70165	39
AB0152	6015	40
AB0158	6417	17
AB0166	6517	17
AB0167	6518	17
AB0169	6606	17
AB0175	6618	17
AB0176	6619	17
AB0178	6656	16
AB0179	6657	16
AB0185	66636	13
AB0222	CL01	40
AB0223	CL02	40
AB0224	CL03	40
AB0225	CL04	40

REF	Old REF	Page
AB0226	CL10	41
AB0229	AB10	15
AB0230	AB20	15
AB0231	AP10	11
AB0260	AT15-DS	14
AB0289	66632	12
AB0299	6693	16
AC0037	73046	39
AF0001	39013	32
AF0002	39014	32
AF0003	39015	32
AF0005	7FAD11	33
AF0007	7FAD12	33
AF0008	7FSD31	33
AF0009	7FSD32	33
AF0011	39018	33
AF0012	39019	33
AF0013	39020	32
AF0016	70015	33
AF0020	39016	32
AH0022	HF11	30
AH0023	HF12	35
AH0024	HF14	35
AH0025	HF31	31
AH0026	HF32	31
AH0039	3485	30
AH0040	39009	30
AH0041	39012	31
AH0071	HF13	35
AM0004	5120	21
AM0005	5121	21
AM0014	0011	24
AM0015	0012	24
AM0016	5122	21
AM0023	5181	21
AM0024	5182	21
AM0025	5301	21
AM0026	5311	21
AM0027	5312	21
AM0028	5313	21
AM0029	5314	21
AM0030	5315	21
AM0031	5316	21
AM0032	5337	21

Product Index

REF	Old REF	Page
AM0037	57001	24
AM0086	5183	22
AM0092	5302	21
AM0093	5303	21
AM0094	5304	21
AM0095	5305	21
AM0096	5306	21
AM0105	57002	25
AM0106	57003	25
AM0112	57012	26
AM0113	57013	26
AM0132	57014	26
AN0038	ANJ0001	22
AN0039	ANJ0002	22
AN0040	ANJ0003	22
AN0041	ANJ0004	22
AN0042	ANJ0005	22
AN0043	ANJ0006	22
AR0023	H025	18
AR0024	H050	18
AR0026	H100	18
AW0001	6304	19
AW0002	6311	19
AW0003	6312	19
AW0005	6308	19
AW0006	6309	19
AW0007	6319	19
AW0009	ED02	23
AW0046	6305	19
AW0047	6306	19
AW0048	6307	19
AW0049	6310	19
AW0050	6315	19
AW0051	6316	19
AW0052	6317	19
AW0053	6318	19
AW0054	6320	19
AW0065	ED01	23
AW0074	6314	19

REF	Old REF	Page	

# Clean & Sterilization

Symbols and Cleaning Instructions

# MATERIALS USED FOR GALEMED PRODUCTS:

Single patient use or disposable items are prohibited to be reused. Reusable items are treated as below:

Material	Autoclave 134°C	EtO gas	Liquid Sterilizer
ABS	Distort	Yes	Yes
Polycarbonate (PC)	Distort	Yes	Excellent
Polyethylene (PE )	Marginal to poor	Yes	Excellent
Polypropylene (PP)	Yes	Yes	Excellent
Polysulfone	Excellent	Yes	Excellent
PVC	Marginal to poor	Yes	Distort
Sllicone rubber	Yes	Yes	Excellent
Stainless, Aluminum	Excellent	Yes	Excellent
Rubber	Distort	Yes	Yes

# **CLEANING & STERILIZATION STEPS:**

- Disassemble the product as per the IFU, if necessary.
- Wash components thoroughly in lukewarm water with a mild detergent which shall be compatible with the material of the device.
- Rinse the components thoroughly in lukewarm water to remove all traces of detergent.
- Sterilize the components using one of the following methods:
  - a.Autoclaved (max 134°C /273°F).
  - b. Ethylene oxide.
  - c. The most common disinfecting solution is used the equipment coming from the contact with the patient. Rinse thoroughly with water after sterilization.
- Dry all components thoroughly after sterilization.
- Inspect all components prior to usage; if any tear or any damage, please replace it.
- Repack properly after usage to avoid any contamination.

# Symbol Guide For This Catalog



Do not reuse To indicate that the product is for single use only.



Indicates that natural rubber latex was not used in the manufacturing of the product, its container, or its packaging.



Sterilizable in a steam sterilizer (autoclave) at temperature 121°C (250°F) will be



DENEY Indicates that product that does not contain the phthalate plasticizer DEHP.



Sterilizable in a steam sterilizer (autoclave) at temperature 134°C (273°F) will be Sterilizable

<b>.</b> .	,	
Date	/	/

Date	/	/		

business card

GaleMed specializes in the design and manufacture of consumable medical devices in the field of respiratory care. Our products cater to the complete patient journey in respiratory care, including neonatal care, emergency care, anesthesia, critical care, and pulmonary rehabilitation. Backed by a team of clinical professionals, we provide customers with the breadth and depth of product solutions.

GaleMed is headquartered in Taiwan and operates manufacturing facilities in Taiwan and Xiamen. With distinct production lines and dedicated marketing teams in both locations, GaleMed has been committed to customers and market needs globally, spanning Europe, America, Southeast Asia, East Asia, and other parts of the world.

With more than 35 years of OEM and OBM experience, GaleMed provides one-stop services, including Mold Design, Professional Process, Process Validation & Qualification, and Automatic Storage Retrieval System. GaleMed possesses excellent quality control and global logistics capabilities.

GaleMed has an experienced RQA team and ensures that its employees remain properly certified and continuously trained. We possess medical device market approvals and quality system management certifications from multiple countries to keep pace with evolving medical device regulations, including TFDA, NMPA, FDA, EU MDR, TW-QMS, ISO 13485, MDSAP, JGMP and others. Thus, our products and services are in line with the latest international standards, helping maintain our customers in a competitive market.









# Established in

1987

## **Business Types**

ODM/ OEM manufacturer, Contract Manufacturer & Exporter

#### **Main Products**


- Respiratory Care
- Critical Care
- Anesthesia Care
- Emergency Care
- Oxygen Therapy
- Aerosol Therapy
- Neonatal Care
- Lung Training

# **Quality Management System**

- ISO 13485
- ISO 9001
- MDSAP
- JAPAN J-GMP
- TAIWAN QMS

# **Product Certification**

- EU MDR Certificate
- FDA Listing and 510K
- China CFDA Registration
- Taiwan TFDA Registration











Since 1986

# **GaleMed Corporation**

www.galemed.com

#### Global Sales Office

#### GaleMed Limited Taipei Branch

5F., No. 209, Sec. 1, Fuxing S. Rd., Da'an Dist., Taipei City 106, Taiwan (R.O.C.)

Email: sales@galemed.com

Tel:+886 2 8791-9348



GaleMed



LinkedIn

